UFO System Tools & Accessories

UFO Button & UFO Mushroom

The Unseen Fibre Optics (UFO) Button is designed to cover up any unsightly engineering works caused by drilling pass-through holes in walls. Using a small 15mm drill hole, UFO cables can pass through the wall whilst using the UFO Button to provide an aesthetically pleasing finish on either side. The UFO Button also enables a smooth pathway to maintain the correct bend radius, protecting the G.657.B3 fibre. The UFO Mushroom enables a smooth pathway into the wall/hole whilst the button is a surface mounted solution where a pathway is not required.

Features & Benefits

- Aesthetically pleasing Button to cover engineers 15mm drill holes
- Maintains bend radius of G.657.B3 Fibre
- Lightweight, easy to install
- White ABS UL94V0 fire resistant
- UV Stabilised




| Ordering Information | |
|------------------------|-----------------|
| Product Description | Part Number |
| Connectix UFO Button | UFO-Button-01 |
| Connectix UFO Mushroom | UFO-MUSHROOM-01 |

UFO Wand

The UFO Wand is an accessory tool that assists the installer when passing UFO cable connectors through walls. The wand creates a protective covering for the connector and helps protect the fibre from damage. Available for both LC or SC Connectors with modular extenders for extra deep pass through areas.

Features & Benefits

- Easy to use wand tools assists fibre installation through walls
- White/Black PLA Material
- Modular for extra length
- Available in LC and SC option
- Protects connection as it passes through the wall



| Ordering Information | |
|--------------------------------------|----------------|
| Product Description | Part Number |
| Connectix UFO Wand SC/APC Cable Tool | UFO-010-001-01 |
| Connectix UFO Wand LC/APC Cable Tool | UFO-008-001-02 |

UFO Midspan Fibre Slitter Tool

The Connectix UFO Midspan Fibre Slitter Tools are for ease of cable slitting during UFO install. The Small Slitter Tool is best suited for preparation of the UFO midspan cable within a UFO Midspan/POE box up to 2mm. The Large Slitter Tool is best for thicker external or armored internal cable 3-8mm.

Features & Benefits

- Eases UFO installation
- Available in 2 sizes:
- Small For cable up to 2mmLarge For cable 2.9-8mm6 different cable sizes within the slitter tool







T: 01376 346600 E: sales@connectix.co.uk www.connectixcablingsystems.com ©2024 Connectix E&OE VER 2.0

UFO System Tools & Accessories

| Ordering Information | |
|--|----------------|
| Product Description | Part Number |
| Connectix UFO Midspan Slitter Tool (Small) | UFO-001-004-01 |
| Connectix UFO Midspan Slitter Tool (Large) | UFO-001-004-02 |

UFO Hot Glue Gun

The Connectix UFO Hot Glue Solution utilises a portable, lightweight, cordless, hot glue gun for quick and easy installation of UFO Cable at any level. It can be used in and around buildings and is suitable for multiple surface types. It is safe to use around carpeted, hard floor and wooden surfaced areas. The glue gun battery power can last up to 3.5 hours (eco mode) with a rapid 3-minute warm up time. The Connectix Hot Glue Gun can be used with standard 18-20V DeWalt, Makita, Milwaukee or Bosch 18V battery recharge units (with UFO Battery Adapter).

Features & Benefits

- Cheaper install costs. Per meter
- Quick glue stick reloads
- Quicker install time
- Quicker drying time
- Nil waste, reusable, deployable gun with rechargeable batteries



| Ordering Information | |
|---|-------------|
| Product Description | Part Number |
| Connectix UFO Glue Gun Case Including , 1 x Glue Gun, 1 x Battery Unit, 1 x Charger | UFO-GGK-01 |
| Connectix UFO Glue Gun Battery Unit | UFO-GGK-02 |
| Connectix UFO Glue Gun Hotmelt Stick Gloss Surfaces - box of 174 | UFO-GS-01 |
| Connectix UFO Glue Gun Hotmelt Stick Matt Surfaces - box of 174 | UFO-GS-02 |

UFO Cold Cure Glue

The UFO Cold Cure Glue is a water based, multi-surface formula that is available in 30ml cartridges. The cartridges can be used with our UFO Glue Gun or a simple plunger. All our cartridges come with a fine application nozzle in either 20SWG or 16 SWG for ease of install. Simply attach the cartridge into our UFO Cold Cure gun, add your nozzle, and apply. Our UFO Cold Cure Glue can safely be painted over to match interior paint styles or interior décor preferences specified.

Features & Benefits

- White when wet but dries transparent
- Easy to paint over
- Water based
- Easy to apply



| Ordering Information | |
|---|--------------|
| Product Description | Part Number |
| UFO Cold Cure Applicator | UFO-CCGG-01 |
| Connectix UFO Cold Cure Glue Cartridge 30ml | UFO-CCC-30 |
| Connectix UFO Fine Nozzles (pack of 25) | UFO-CCGGN-25 |



UFO System Tools & Accessories

UFO Cable Securing Clips

UFO Nanoclips

Connectix UFO Nanoclips provide a neat, tidy and almost invisible finish. Their Barbed design grips into a substrate for a secure fixing and holding of the UFO Cable. They are corrosion resistant and UV stable. They are suitable for indoor and outdoor use with a melting point of >1200°C. They are designed to hold 2mm and 3mm cables, and meet BSi and DIN classifications being 90 & 120 minute fire resistant. Available in White, Black or Brown.

UFO Firefly

The UFO Firefly push grip cable ties are specifically designed for small diameter cables using an application tool, providing industrial strength cable fixings and full compliance with BS7671 18th Edition and BS6701:A1.

Features & Benefits

- Compliant with BS6701:A1 and BS7671 18th Edition
- Fits 2 & 3mm cable
- Easy to install
- Corrosion resistant
- UV stable





Nanoclip

Firefly Clip

| Ordering Information | |
|--|----------------|
| Product Description | Part Number |
| Connectix UFO Nanoclip™, White 2mm - Pack of 100 | UFO-001-005-02 |
| Connectix UFO Nanoclip™, Black 2mm - Pack of 100 | UFO-001-005-09 |
| Connectix UFO Nanoclip™, Brown2mm - Pack of 100 | UFO-001-005-21 |
| Connectix UFO Nanoclip™, White 3mm - Pack of 100 | UFO-001-006-02 |
| Connectix UFO Firefly Clip Pushing Tool | UFO-FF-PT |
| Connectix UFO Firefly Clips (Pack of 100) | UFO-001-004-10 |

